

The GOES-R Proving Ground

Steven Goodman

Senior Program Scientist, GOES-R (US representative to the WMO WWRP Nowcasting Working Group)

NOAA Testbed USWRP Workshop Boulder, CO April 28-29, 2009

http://www.goes-r.gov

Contributors



Steven Goodman and James Gurka

NOAA/NESDIS/GOES-R Program Office, Greenbelt, MD 20771

Timothy Schmit

NOAA/NESDIS/Center for Satellite Applications and Research, Madison, WI

Mark DeMaria and Daniel Lindsey

NOAA/NESDIS/Center for Satellite Applications and Research, Fort Collins, CO

Wayne Feltz, Scott Bachmeier and Kris Bedka

Cooperative Institute for Meteorological Satellite Studies, University of Wisconsin, Madison, WI

Steven Miller

Cooperative Institute for Research in the Atmosphere, Colorado State University, Fort Collins, CO

Eric Bruning

Cooperative Institute for Satellite Climate Studies, University of Maryland, College Park, MD

Gary Jedlovec and Richard Blakeslee

NASA/MSFC Short-term Prediction Research and Transition (SPoRT) Center, Huntsville, AL

Russell Schneider and Chris Siewert

Cooperative Institute for Mesoscale Meteorological Studies, NOAA/NWS/Storm Prediction Center, Norman, OK

Robert Rabin

NOAA/National Severe Storms Laboratory

Outline



- GOES-R Proving Ground Overview
 - Mission, Components, Framework
 - Organization, Partners
- Progress and Status
- Some Examples
- Summary

Proving Ground Mission Statement

The GOES-R Proving Ground engages NWS in pre-operational demonstrations of selected capabilities of next generation GOES

- Objective is to bridge the gap between research and operations by:
 - Utilizing current systems (satellite, terrestrial, or model/synthetic) to emulate future GOES-R capabilities
 - Infusing GOES-R products and techniques into NWS operations with emphasis on AWIPS and transitioning to AWIPS-II.
 - Engaging in a dialogue to provide feedback to developers from users
- The Proving Ground accomplishes its mission through:
 - Sustained interaction between developers and end users for training, product evaluation, and solicitation of user feedback.
 - Close coordination with GOES-R Algorithm Working Group (AWG) and Risk Reduction programs as sources of demonstration products, promoting a smooth transition to operations

Intended outcomes are Day-1 readiness and maximum utilization for both the developers and users of GOES-R products, and an effective transition to operations

GOES-R Proving Ground

- Place where technologies and ideas are tested and proven before being fielded in operations
- Evaluates how infusion of technology or process in forecast environment impacts operations
- Integrates technology or process with other available tools
- User readiness risk mitigation
- Key component: operational testing by those independent of the development process
- Key Benefit: users more accepting of fielded technology
 - They have had a say in the design
 - Design better fits an identified need

Key Components of Proving Ground


- Ability to fully test individual components
- Ability to fully test integrated components
- Testing which simulates routine low-end events
- Testing which simulates high-end non-routine events
- Testing using archived events and simulation
- Testing using live events
- Test team independence
- Test team membership made up of test experts, trainers, and operational users
- Ability to make recommendations to the decision maker based on impacts noted in test findings

GOES-R Program Risks: User Readiness

Rank	Risk ID	Risk Statement (Condition; Consequence)	Approach/Plan	Status Mitigation
<u>3</u>	GP0-33	GOES-R User Readiness	Mitigation	GOES-R User Readiness Plan to
Criticality	Planned Closure	If user or NOAA infrastructure upgrades necessary to ensure compatibility with GOES-	✓1. Interface Requirements Definition & Coordination	consolidate and document all user interface & readiness activities and coordination.
2x4 M ←→	Long-Term	R are not adequately identified, prioritized, developed, and funded to coincide with planned deployment schedules; Then, there is a possibility that specific users will be unable to use the data products from lack of available infrastructure or from incompatibility with data distribution to meet increased performance needs resulting in schedule delays and cost impacts; Risk Owner: Steve Goodman	✓a. Interface Requirements Docs (IRDs) (Aug. 2008) b. GOES-R User Readiness Plan Development & Approval (Sep. 2009) 2. External (to GOES-R) Orgs. (OSO, AWG, OSD) Communication & Collaboration from Design thru. Deployment 3. GOES-R Proving Grounds & User Community Training ✓4. User Community Outreach & Conferences 5. NOAA/User Orgs. Resources and Schedule Commitments	Conferences, Workshops, and other forums will continue to be used to provide user community with information and transition planning Major event being planned includes the PG Annual Meeting (May 2009) and GOES Users Conference (November, 2009) GOES-R Proving Ground concept is being initiated to allow for the research-to-operations. Focus is on forecaster/AWIPS-2 to prepare for the GOES-R information, to get real-world experience by leveraging existing resources, and to evaluate product tailoring. Plan in development. Coordination with NOAA Testbeds (USWRP Workshop April, 2009). Initial plans in place for NOAA Hazardous Weather Test Bed (HWT) PG Spring Experiment Demonstration.
		Nisk Owiler. Steve Goodinan		Demonstration.

GOES-R Proving Ground in the R2O Framework





As new ideas and algorithms are developed, validation, testing, and preoperational assessments winnow the mature candidate list to the most promising algorithms that will be transitioned into operations.

Progress and Status of Proving Ground

- Kickoff Meeting held May 15-16, 2008 in Boulder, CO
 - Over 30 participants from GPO, AWG, CIMSS, CIRA, NWS HQ, FSL, OSD, OSDPD, SPoRT, and STAR
 - Web Site Established (cimss.ssec.wisc.edu/goes_r/proving-ground.html)
- Organization telecon held June 16, Monthly telecons on-going
 - Key message...for every product, tool or technique developed there must be a clear path to operational implementation
 - Executive Board and Advisory Team formed
 - NWS HQ and field fully engaged in plans and implementation
 - Satellite "Champion" hired at OU/CIMMS to support NWS user readiness (GOES-R funded)
 - Candidate products identified for 2009 Hazardous Weather Testbed Spring Experiment forecast and warning assessment
 - Convective Initiation (CIMSS)
 - Lightning rates, density, trends (SPoRT)
 - Probability of hail (CIRA)
- 2nd Annual Meeting May 15, 2009 at COMET in Boulder, CO
- Alaska Region/High Latitude PG Meeting Aug. 18-20, 2009 Fairbanks, AK

Proving Ground Organization

Executive Board:

Steve Goodman (Chair)- NESDIS/GOES-R Senior Program Scientist Jim Gurka- NESDIS/GOES-R Ground Segment Project Scientist Jaime Daniels-NESDIS/STAR/GOES-R AWG Mark DeMaria-NESDIS/STAR/ GOES-R Risk Reduction Tim Schmit-NESDIS/STAR/ASPB Kevin Schrab- NWS

Advisory Team:


Tony Mostek-NWS/COMET
Russ Schneider- NWS/NCEP/SPC
Gary Hufford- NWS Alaska Region
Shanna Pitter- PPI, NWS WW Goal Team
Cecilia Miner- NWS, C&T Goal Team
Steve Miller- CIRA
Wayne Feltz-CIMSS
Shobha Kondragunta-NESDIS/STAR AQ IPT
Gary Jedlovec-NASA SPORT

GOES-R 34 Baseline Products						
Aerosol Detection (incl Smoke & Dust)						
Suspended Matter / Optical Depth						
Volcanic Ash: Detection & Height						
Cloud & Moisture Imagery						
Cloud Optical Depth						
Cloud Particle Size Distribution						
Cloud Top Phase						
Cloud Top Height						
Cloud Top Pressure						
Cloud Top Temperature						
Hurricane Intensity						
Lightning Detection: Events & Flashes						
Rainfall Rate / QPE						
Legacy Vertical Moisture Profile						
Legacy Vertical Temperature Profile						
Derived Stability Indices						
Total Precipitable Water						
Clear Sky Masks						
Radiances						
Downward Solar Insolation: Surface						
Reflected Solar Insolation: TOA						
Derived Motion Winds						
Fire / Hot Spot Characterization						
Land Surface (Skin) Temperature						
Snow Cover						
Sea Surface Temperature						
Energetic Heavy Ions						
Magnetospheric Electrons and Protons: Low Energy						
Magnetospheric Electrons and Protons: Medium & High Energy						
Solar and Galactic Protons						
Geomagnetic Field						
Solar Flux: EUV						
Solar Flux: X-Ray						
Solar Imagery: X-Ray						


GOES-R 34 Additional Products (Option 2)
Aerosol Particle Size
Aerosol Particle Size Aircraft Icing Threat
Cloud Ice Water Path
Cloud Imagery: Coastal
Cloud Layers / Heights and Thickness
Cloud Liquid Water
Cloud Type
Convective Initiation
Enhanced "V" / Overshooting Top Detection
Low Cloud and Fog
Turbulence
Visibility
Probability of Rainfall
Rainfall Potential
Total Water Content
Absorbed Shortwave Radiation: Surface
Downward Longwave Radiation: Surface
Upward Longwave Radiation: Surface
Upward Longwave Radiation: TOA
Ozone Total
SO2 Detection
Flood/Standing Water
Ice Cover/Landlocked
Snow Depth
Surface Albedo
Surface Emissivity
Vegetation Fraction: Green
Vegetation Index
Currents
Currents: Offshore
Sea & Lake Ice: Age
Sea & Lake Ice: Concentration
Sea & Lake Ice: Extent
Sea & Lake Ice: Motion
11

ABI	SUVI	EXIS
GLM	SEISS	Magnetometer


GOES-R Proving Ground Partners



"ABI" Proxy Data from Current Satellites





ABI Proxy from MODIS, MSG, and AIRS on 2004 April 11




Convective Initiation (CI) Trend

CI TREND: 20090227 at 1945 UTC






Examples of Proving Ground Products









Mt. Redoubt has had more than 20 major eruptions since Sunday morning March 22, 2009. The eruptions have created a continuous major ash plume that has disrupted aviation across the State of Alaska. Rapid scan products of GOES imagery provided new insight on the eruptive activity of the mountain. NWS forecasters were able to use this insight to provide better information for warnings and advisories issued to the public and aviation communities.

http://cimss.ssec.wisc.edu/goes/blog/archives/2228

Animation of sample ABI visible and near-IR bands in AWIPS




AWG Proxy ABI Simulations of Hurricane Katrina



GLM Proxy Data

DC Regional Storms November 16, 2006 Resampled 5-min source density at 1 km and 10 km




LMA 1 km resolution


LMA @ GLM 10 km resolution

GLM Testbeds at Huntsville, AL; Norman, OK; Sterling, VA; KSC, FL

GLM Proxy Data from OKLMA



GLM Lightning Jump Algorithm: Experimental Trending Implementation in AWIPS/SCAN



Summary

- PG is the ultimate tool for user interaction
- Program Plan under development
- Phase I spin-up at CIMSS, CIRA (2008)
- Phase II adds SPoRT, AQ, Alaska, Pacific
 - HWT IOP with VORTEX-2 (2009)
- Must be able to test individual and integrated components with independence from developers
- Ensuring pathway into operations by developing GOES-R proxy products for the AWIPS2 environment
- Need real time and archived events (AWIPS2, WES)
- Must maintain focus on clear path to operations

Summary (Cont)


- Existing and Planned collaborations for product validation and assessment with NOAA Testbeds- HWT, JHT, DTC, HMT
- NESDIS Satellite Algorithm Testbed (new)- blended products from combining GEO and LEO observations, e.g.,
 - GOES-R ABI/GLM with NASA GPM
 - GOES-R ABI-derived soundings with NPP/NPOESS/METOP (CrIS, IASI)
- NOAA-EUMETSAT GEO Working Group
 - Advanced Sounders, Lightning Imagers
 - EUMETSAT Satellite Application Facilities (SAFs)
 - Visiting Scientists
- WMO WWRP Nowcasting Working Group
 - Forecast and Research Demonstration Projects (FDPs, RDPs, e.g., Sydney 2000, B08 and SNOW-V10 Summer and Winter Olympic Games)
 - WSN09 Nowcasting and Very-Short Range Forecasting Symposium, Whistler, BC, Canada




6th GOES Users' Conference

http://cimss.ssec.wisc.edu/goes_r/meetings/guc2009/















<u>Geostationary Operational Environmental Satellites: http://www.goes-r.gov</u>